

# Video Management System – VMS(15.10)



## Особенности :

1. Поддержка до 64 каналов в самой VMS и также в приложениях для централизованного мониторинга
2. Кодек H.265/HEVC, H.264, MJPEG
3. Panel resolution up to 4K
4. Настраиваемая раскладка просмотра в реальном времени и воспроизведения
6. Support for ONVIF, PSIA, and RTSP protocols.

# Video Management System – VMS(15.10)

## Comparison Table of GV-VMS and GV-System

|                     |                      | GV-VMS V15.10                                     | GV-System V8.6.2.0                      |
|---------------------|----------------------|---|---|
|                     |                      | General Information                               |   |
| Supported OS        | 32-bit               | Not supported                                     | Win XP / Vista / 7 / 8 / Server 2008    |
|                     | 64-bit               | Win 7 / 8 / 8.1 / Server 2008 R2 / Server 2012 R2 | Win 7 / 8 / Server 2008R2 / Server 2012 |
| Video Capture Cards |                      | Not supported                                     | 0<br>(Supports analog cameras)          |
| Maximum License     | GV-IP Devices        | Up to 64 ch                                       | Up to 32 ch                             |
|                     | 3rd party IP Cameras | 1 to 64 ch<br>in increments of 1 ch               | 1 to 32 ch<br>in increments of 2 ch     |

# Video Management System – VMS(15.10)

## Comparison Table of GV-VMS and GV-

|                              |           | GV-VMS V15.10  | GV-System V8.6.2.0  |
|------------------------------|-----------|--|---|
|                              |           | Monitoring   |   |
| Layout                       |           | <ul style="list-style-type: none"> <li>•Default: 8, 10, 13, 17, 33 ch</li> <li>•Customizable layout up to 64 ch</li> </ul> | 1, 4, 6, 8, 9, 10, 12, 16, 25, 32 ch  |
| Drag and Drop Support        |           | 0  | Not supported   |
| Service Mode                 |           | 0  | Not supported   |
| Supported Screen Resolutions |           | 1024 x 768 or above<br>(Supports 4k / 2k resolution)   | 800 x 600, 1024 x 768, 1280 x 1024, 1680 x 1050, 1600 x 1200, 1920 x 1080, 1280 x 800, 1440 x 900 |
| POS Solution                 |           | Not supported(1)   | 0   |
| Notification                 | SMS Alert | Not supported  | 0   |

**Note:**

1.The software is not supported by GV-VMS V15.10. GV-VMS will support this software in the near future.

# Video Management System – VMS(15.10)

## Comparison Table of GV-VMS and GV-

|                              |               | GV-VMS V15.10              | GV-System V8.6.2.0 |
|------------------------------|---------------|----------------------------|--------------------|
|                              |               | Recording and Playback     |                    |
| Video Playback               | Max. Channels | 64                         | 16                 |
|                              | Timeline      | 0                          | Not supported      |
|                              |               | Remote Monitoring Software |                    |
| GV-Backup Center             |               | Not supported(1)           | 0                  |
| GV-Edge Recording Manager    | Windows       | 0                          |                    |
|                              | Mac           | 0                          | Not supported      |
|                              |               | Software & Utility         |                    |
| GV-Web Report                |               | Not supported(1)           | 0                  |
| GV-ASManager with LPR Plugin |               | Not supported(1)           | 0                  |
| GV-Audio Broadcast           |               | Not supported              | 0                  |
| GV-Backup Viewer             |               | Not supported              | 0                  |
| GV-Local DDNS                |               | Not supported              | 0                  |
| GV-Multi View                |               | Not supported              | 0                  |
| GV-Multicast                 |               | Not supported              | 0                  |
| GV-SMS Server                |               | Not supported              | 0                  |

**Note:**

1.The software is not supported by GV-VMS V15.10. GV-VMS will support this software in the near future.

# Video Management System – VMS(15.10)

## GV-VMS(15.10)-Сравнение раскладок

**GV-VMS-** Это комплексная система управления видеозаписями, позволяющая записывать до 64 каналов камер GeoVision или камер сторонних производителей. Живой просмотр и режим воспроизведения можно легко регулировать с помощью интуитивной функции мыши "перетаскивание и сброс"



GV-VMS(15.10)



GV-NVR(8.6.2.0)